

**PROVEN ENGINEERING.
TIMELESS QUALITY.**



GARAGE LIFTING EQUIPMENT

***REFINED
DESIGNS
FOR
BETTER
CLEARANCE
AND
EASIER
WORKING***



BS EN ISO 9001:2008

MAJORLIFT...
Still leading the way in
performance and reliability



First class quality guaranteed.

Majorlift design, manufacturing
and customer support processes
are approved to
BS EN ISO 9001:2008

5 year warranty UK & Eire only.
Warranty subject to acceptance of
Majorlift terms and conditions



Why is Majorlift garage equipment trusted by thousands of garages as well as the UK's leading roadside recovery service?

Because the Majorlift range is quality engineered to perform - and keep on performing - to ensure that operational downtime is minimised and staff have the working space and the protection they need.

Majorlift continues to set the benchmark for innovation, quality, durability and value. That's why we are number one in the field.

Performance you can rely on

Reliability is critical in a busy workshop, and a jack - at the heart of the daily workload - is only as reliable as its weakest part. Virtually every component in our entire range of jacks is machined, milled, welded, laser cut and finished from the highest-grade steel by skilled British engineers.

Out track record and industry reputation is second to none: our jacks have proven their reliability in a huge range of demanding applications and we are the first to offer a five-year warranty. We've been quality approved to BS EN ISO 9001:2008 since 1992 and are a registered defence contractor (KCUQ 9) for Garage Lifting Equipment, and conform to machinery directive 2006/42/EC.

Innovation and speed

For over 25 years, Majorlift has been the industry innovator, introducing many features now accepted as standard. That reputation for innovation continues with a new air power pack pump, built in house at our Gloucestershire factory, which is quieter and significantly improves performance.

Support you can depend on

Our dedicated, knowledgeable after-sales service will help you maintain your equipment in first class working condition and (with all equipment and parts made in our factory) keep downtime to an absolute minimum.

Best value by far

Majorlift doesn't sell the cheapest garage equipment. But because they provide years of reliable efficient service, Majorlift is the best value solution - by far - with fewer breakdowns and fewer replacement parts over the unit's life time.

The quality workmanship that goes into every product, the efficient, safe and innovative design, together with our 5 year warranty, all make Majorlift the name you can trust. Our jacks won't let you down.

THE MAJORLIFT 'PATROLMAN' TROLLEY JACK

Rugged, reliable, flexible...
the Majorlift 'Patrolman' is the
first choice of Britain's roadside
recovery personnel.



Thousands of these are already
in the field with Britain's
biggest recovery services - so
if you need a trolley jack that
will improve your operational
efficiency and protect your
staff, this is the one.

- > Lifting capacity of 2.2 tonnes
- > Just 25kg (excl. accessories) -
inside the H&SE limit for
manual handling
- > Offers the unique safety
feature of a lifting arm
support (integral locking)
which acts as a built-in
axle stand.
- > 12 months parts and labour
warranty

THE SHALLOW NARROW JACKING BEAM



Suitable
for lifts and pits
where standard beam
is too wide.

GARAGE LIFTING EQUIPMENT

- 4 different weights...
- 4 different extendable beams...



These hugely popular units have just been given a technical and operational advantage. As well as the 1700mm extendable top beam, we can now supply them with an extra wide 1850mm top beam. They have a specially low jacking position to cater for low floored vehicles such as sports cars. Approved for MOT testing, class 4 and class 7. Raiser blocks supplied as standard 1532A, 1526



A 4 tonne capacity unit that is purpose-designed for the heavyweight 4x4s. It has the power and with optional 180mm extension tubes, the reach to cope with these high axle vehicles.

Raiser blocks supplied as standard 1532A, 1526, 1527



Our 6 tonne unit has been part of our commercial range for some years. But with more and more garages now taking on work with smaller goods vehicles we've also included it in our lighter weight range. Raiser blocks supplied as standard 1532A, 1835, 1836

MAJORLIFT'S GARAGE LIFTING EQUIPMENT

- Manufactured in Britain
- Quality engineered to perform

Power packs can be Air/hydraulic or manually operated. Air/hydraulic operated packs give easy and rapid lift. Manual packs give easy double action pumping.

Standard 1700mm wide
Optional 1850mm wide

TOP BEAM

You can now have 2 and 2.8 tonne models with an extra-wide extending top beam to 1850mm

SAFETY FEATURES

- > Hose burst valve
- > Pressure release valve prevents overloading
- > Finger guard complies with European machinery directive and CE marking

THE QUIETEST EVER MAJORLIFT PUMP

The new quieter design of Majorlift pump, built into every jack, for the Air operated beam - significantly enhances performance and reduces noise. It also further improves operational reliability.

THREE-POSITION MECHANICAL LOCK

Engages automatically creating safe working platform when carrying out extensive wheel overhauls

SUPPORT ARMS

Easy roll operation from quality roller bearings - minimum effort, easy movement


REPLACEMENT PARTS

Most spare parts will be dispatched within 24 hours. Please quote jacking beam serial number when ordering. All spare parts for Majorlift products can be viewed on the website. www.majorlift.com



RAM AND SCISSORS

A full 260mm (10.28") lift with proven hydraulics, the heart of all Majorlift garage equipment: gutsy, robust and very reliable. (Applies to 2 and 2.8 tonnes)



ROLLER HOOK OR ROLLER FLAT SUPPORT ARMS

Supplied as standard

Majorlift also fit support arms (extra POA) to accommodate most makes of lift including:

Bradbury, Tecalemit, Werther, Sterti-Koni, Stenhoj, Laycock, Hofmann, Istobal, Fogg, Ravaglioli, Nussbaum, Consul, Rotary, Maha, Autec, Sun, Cascos, Omer, Texo and Wheeltronics

RAISER BLOCKS

Supplied as standard with each beam. Rubber-topped screw pad 1532A and aluminium block 1526 that will fit anywhere over the length of the beam. Additional blocks can be supplied as optional extras.



Optional Extras

RAISER BLOCKS



Part No. 1527 to fit 2 and 2.8 tonne beam. Aluminium 95mm/3.75" high. Can be used alone or in conjunction with 1532A particularly useful when lifting light vans or off road vehicles.

Part No. 1532C to fit all scissor beams. Can be used on all scissor beams in conjunction with 1532A (which are supplied as standard on all scissor beams). A lifting height of 540mm/21.25" can be achieved by using 1532C extension especially designed to facilitate safe lifting of vehicles with high axles and lifting points.




Part No. 1532V threaded V crutch fits all scissor beams and can be used by itself or in conjunction with 1527 or 1532C



UNIVERSAL RAISER BLOCKS FOR ALL MAKES OF GARAGE EQUIPMENT

Rubber, non-slip exterior which moulds to the car underbody. Light, strong, safe and easy to use.




Part No. 1590L
120mm/5" high

Part No. 1590M
70mm/3" high



Part No. 1590S
40mm/1.5" high

A set of the 3 part numbers above can be purchased using Part No. 1590.

Part No. 1590C MOT Ramp Wheel Chocks. 2 component polyurethane chocks H65 x W295 x D1270mm.



THE FACTS...



	Rated 2 Tonnes	Rated 2.8 Tonnes	Rated 4 Tonnes	Rated 6 Tonnes
MOT Approval for	CLASS 4	CLASS 7		
Part No. Manual	HPJ2	HPJ2.8	HPJ4	N/A
Part No. Air/Hydraulic	MPJ2	MPJ2.8	MPJ4	MPJ6

A Width when extended	1700mm 67"	1700mm 67"	1605mm 63"	1300mm 51"
B Width when retracted	800mm 31.5"	815mm 32"	864mm 34"	910mm 35.8"
C Minimum width over support arms	775mm 30.5"	790mm 31"	830mm 32.5"	920mm 36.2"
D Maximum width over support arms	1125mm 44"	1130mm 44.5"	1300mm 51"	1290mm 50.7"
E Closed height	212mm 8.25"	242mm 9.5"	261mm 10.25"	320mm 12.6"
F Total Lift	260mm 10.25"	260mm 10.25"	205mm 8"	200mm 7.8"
*G Height above platform/floor	75mm 2.9"	92mm 3.6"	97mm 3.8"	101mm 3.9"
*can be set lower with special arms if required				
Weight with top beam	87kg 192lbs	113kg 249lbs	155kg 341lbs	224kg 494lbs

Narrow Garage Lifting Equipment to fit narrow pits and lifts (pump mounted externally)

C Minimum width over support arms	680mm 26.75"	700mm 27.58"	N/A	N/A
D Maximum width over support arms	1015mm 40"	1020mm 40.5"	N/A	N/A
Optional extra width top beam				
A Width when extended =	1850mm 73"	1850mm 73"	N/A	N/A
B Width when retracted =	948mm 37"	963mm 38"	N/A	N/A

RAISER BLOCKS	Rated 2 Tonnes	Rated 2.8 Tonnes	Rated 4 Tonnes	Rated 6 Tonnes
Part No.				
1532A	Standard	Standard	Standard	Standard
1526	Standard	Standard	Standard	N/A
1835	N/A	N/A	N/A	Standard
1836	N/A	N/A	N/A	Standard
1527	Optional	Optional	Standard	N/A
1532C	Optional	Optional	Optional	Optional
1532V	Optional	Optional	Optional	Optional

DUTY OF CARE - Don't ignore it!

(+44) 01454 299299

BREAKDOWN

- Rapid replacement service available if your key components break down. Eg. Ram or Power Pack.
- Reconditioned service exchange unit dispatched - certificated with 1 year warranty.
- Smaller working parts dispatched for you to fit. Eg. rollers, control valves, seals etc.

REMANUFACTURE

- Complete overhaul available. (Older garage equipment/equipment that has had very heavy usage)
- Prompt turnaround.
- Thorough service - stripping down, replacing worn/damaged parts, sandblasting and respraying. Certificated with 1 year warranty.



Made by Compac.

Supported by Majorlift.

Distributed by your equipment supplier.

The Majorlift range is complimented by that of Compac another company with a superb reputation for quality and engineering.

We are the sole UK importers of Compac equipment, so when you purchase a Compac product you are enjoying the best of both worlds: superior equipment backed by Majorlift's excellent service support.

The Compac story goes back to Denmark in 1946, to four engineers with a vision to build quality jacks with an uncompromising attitude to safety.

The synergy with our own company could not be closer. Compac is still based in Denmark, and still using high quality materials - for long-lasting equipment that guarantees less down time and the highest possible return on your investment.

Latest catalogue available now from your equipment supplier.



Workshop presses

Capacity:
25-100tonnes



Workshop cranes
CC055
CC10

Capacity:
550-1000kg

Spring compressors



Transmission jacks

Max weight:
300kg - 1000kg



Low height jacks
2T-C

Lifting capacity:
2 tonnes

Height:
Min. 80mm
Max. 500mm



3 YEAR WARRANTY...

The complete Compac 3 year warranty conditions are available for you to read on www.compac.dk





GARAGE EQUIPMENT



Distributor and agents for Majorlift and Compac equipment

Majorlift Hydraulic Equipment Ltd. Arnolds Field Estate, Wickwar, Wotton-Under-Edge, Gloucestershire GL12 8JD

T (+44) 01454 299299 F (+44) 01454 294003 E sales@majorlift.com W www.majorlift.com



BS EN ISO 9001:2008
Certificate No FM2284

